



09/751152

C of C

6,963,554 B1

PATENT

11461.00.0074

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:)

David Weigand)

U.S. Patent No.: 6,963,554)

Issued: November 8, 2005)

For: MICROWIRE DYNAMIC)
SEQUENCER PIPELINE STALL)

**REQUEST FOR CERTIFICATE OF
CORRECTION OF PATENT FOR
PTO MISTAKE 37 CFR § 1.322(a)**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Attn: Certificate of Correction Branch

Certificate of First Class Mailing
I hereby certify that this paper (Request For Cert. Of
Correction) and Certificate of Correction 1 page) are
being deposited with the United States Postal Service as
first-class mail in an envelope addressed to: Comm. For
Patents, P.O. Box 1450, Alexandria, VA 22313-1450,

Cert. of Corr., Branch.
NOV. 21, 2005
Date

Nanette Combs
Nanette W. Combs

Sir:

Pursuant to 37 C.F.R. §1.322(a), hereby request that a Certificate of
Correction be issued for U.S. Patent No. 6,963,554 B1.

Attached is Form PTO/SB/44 with errors and changes requested.

The exact location where the errors occur in the Certificate of Correction is:

Column 9/10, Table 3

Please send the corrected Certificate to:

Mark A. Dalla Valle, Esq.
Vedder, Price, Kaufman & Kammholz, P.C.
222 North LaSalle Street, 24th Floor
Chicago, IL 60601

Certificate
NOV 30 2005
of Correction

CHICAGO/#1442865.1

NOV 30 2005

6,963,554 B1

PATENT


11461.00.0074

It is believed there is no fee due. In the event there is a fee, the Commissioner is hereby authorized to charge any additional fees to Deposit Account Number 22-0259.

Respectfully submitted,

VEDDER, PRICE, KAUFMAN & KAMMHOLZ, P.C.

Date: Nov. 21, 2005

By: 
Mark A. Dalla Valle
Reg. No. 34,147

Attorney for Assignee
222 N. LaSalle St.
Chicago, IL 60601
Telephone: 312-609-7500
Facsimile: 312-609-5005
Customer No. 23418
Atty. Docket: 11461.00.0074

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,963,554 B1
APPLICATION NO.: 09/751,152
ISSUE DATE : November 8, 2005
INVENTOR(S) : David Weigand

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9/10, Table 3:

under 23, delete "lpo" and insert --Ipo--
under 19, delete "Rs1" and insert --Rst--
under 18, delete "lpo" and insert --Ipo--
under 10, delete "lpo" and insert --Ipo--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Mark A. Dalla Valle, Vedder, Price, Kaufman & Kammholz, P.C.
222 N. LaSalle St.
Chicago, IL 60601

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.